

DENTAL COUNCIL OF INDIA

Meeting file of the Executive Committee of the Dental Council of India held on 19.4.2022 (Tuesday) in the Committee Room, Dental Council of India, Aiwan-E-Ghalib Marg, Kotla Road New Delhi at 10.30 a.m. in respect of compliance cases.

5. Academic Section Matters, if any

RECOGNITION MATTERS (BDS)

5(1). Government College of Dentistry, Indore, Madhya Pradesh

To consider Joint Inspection Report of the Council's Inspectors Dr. Rajesh Bansal, Varanasi and Dr. Ashtha Arya, Budhera (carried out on 23rd & 24th March, 2022) to evaluate the standard of first final BDS examination conducted by Madhya Pradesh Medical Science University, Jabalpur, in respect of BDS students of Government College of Dentistry, Indore, Madhya Pradesh, for recognition of BDS Degree from 40 to 50 Seats.

Compliance

Deficiency as per BDS Recognition Inspection

1. The following **Dental Teaching Staff** were absent on the day of Inspection:-
 - (i) Dr. Sonu Shukla, Lecturer, Prosthodontics and Crown & Bridge was absent on 23.03.2022 and 24.03.2022.
 - (ii) Dr. Neha Varma, Lecturer, Prosthodontics and Crown & Bridge was absent on 23.03.2022.
 - (iii) Dr. Sheetal Singar, Tutor, Oral Pathology and Oral Histology was absent on 23.03.2022 and 24.03.2022.
 - (iv) Dr. Shradha Pawar, Tutor, Conservative Dentistry and Endodontics was absent on 23.03.2022 and 24.03.2022.
 - (v) Dr. Triveni Patil, Tutor, Oral and Maxillofacial Surgery was absent on 23.03.2022 and 24.03.2022.
 - (vi) Dr. Swati Srivastav, Tutor, Periodontics was absent on 23.03.2022 and 24.03.2022.
 - (vii) Dr. Shruti Bakliwal, Tutor, Periodontics was absent on 23.03.2022 and 24.03.2022.
 - (viii) Dr. Yojna Atram, Tutor, Orthodontics was absent on 23.03.2022 and 24.03.2022.
 - (ix) Dr. Ashish Saxena, Professor & HOD, Pedodontics was absent on 23.03.2022.
 - (x) Dr. Divya Menon, Tutor, Oral Medicine and Radiology was absent on 23.03.2022 and 24.03.2022.
 - (xi) Dr. Priyanka Nikose, Tutor, Oral Medicine and Radiology was absent on 23.03.2022 and 24.03.2022.

- (xii) Dr. Vrinda Saxena, Professor, Public Health and Dentistry was absent on 23.03.2022 and 24.03.2022.
- (xiii) Dr. Vidhatri Tiwari, Lecturer, Public Health and Dentistry was absent on 23.03.2022 and 24.03.2022.
- (xiv) Dr. Manoj Jain, Tutor, Public Health and Dentistry was absent on 23.03.2022 and 24.03.2022.

2. **Non Teaching Staff/Ministerial Staff:-** Attenders – 01

3. There are deficiencies of **Major Equipments** in the various departments:

Conservative Dentistry and Endodontics:- Autoclaves – 01, Automatic Developer – 1, **Pre Clinical Laboratory:-** Work table preferable complete stainless steel fitted with light, Bunsen burner, air blower working stool – Sharing with Conservative Dentistry, Adequate number of lab micro motor with attached hand piece - Sharing with Conservative Dentistry, **Pre Clinical Laboratory:-** Wax Burnout Furnace – Shared with Prostho Department, Centrifugal Casting Machine - Shared with Prostho Department, Heavy Duty Micromotor - Shared with Prostho Department, Gas Cylinder and Oxygen cylinder with Burner - Shared with Prostho Department, **Clinical Laboratory:-** Plaster Dispenser – Shared with Prostho Department, Model Trimmer – Shared with Prostho Department, Lathe – Shared with Prostho Department, Lab Micromotor – Shared with Prostho Department, Ultrasonic Cleaner – Shared with Prostho Department, Spindle Grinder - Shared with Prostho Department, Vibrator - Shared with Prostho Department, Burnout Furnace – Shared with Prostho Department, Porcelain Furnace – Shared with Prostho Department, Sandblasting Machine – Shared with Prostho Department, `Lab Airrotor – Shared with Prostho Department, Pindex System – Shared with Prostho Department, Circular Saw – Shared with Prostho Department, Vacuum Mixer – Shared with Prostho Department, Pneumatic Chisel – Shared with Prostho Department, Casting Machine – Shared with Prostho Department, **Periodontology:-** Electro Surgical Cautery – 1, Needle Burner with syringe cutter – 4, **Public Health Dentistry:-** – Needle Burner with syringe cutter – 1, **Dental Chair with Unit** – One Portable chair in ambulance, Autoclaves – 1, Metal Cabinet – 1, Stabilizer – 1, Generator – 1, Water Tank – 1.

4. **Central Library:-** E Library facility is not available.

S.No	Amenties	Available/Not Available	Sq.Ft
1.	Digital Library	Not Available	500 sq.ft
2.	Seating Area	Insufficient	2000 sq.ft

5. **Observations:-**

1. **Infrastructure:-** Hostel facilities need improvement, number of rooms available for Boys and Girls are insufficient., Staff quarters are not available, Auditorium is shared with medical faculty, Exact dimensions of constructed area could not be verified, two blocks are sanctioned by Government and it appears space deficiency may be met in future, The land and building are Government property. Its papers are not available as it is a old college.
2. **Mobile Dental Van:-** Mobile Dental Van need to be improved only 1 portable chair is available. Dean has committed they will procure in future.
3. Conservative Pre Clinical lab is shared with Preclinical Prosthetic Lab.
4. Casting Lab is shared between Prosthetics and Conservative Department.
5. Conservative Department:- In UG Clinic compressor connection is available only with 2-3 chairs. UG students work with Micromotor handpiece as compressor not available.

PERIODIC INSPECTIONS

5(3). **Navodaya Dental College, Raichur, Karnataka**

To consider Joint Inspection Report of the Council's Inspectors Dr. Manish Goyal, Moradabad, Dr. Swarupananda Bera, Jamshedpur and Dr. Mainak Kanti Saha, Indore (carried out on 21st & 22nd March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Navodaya Dental College, Raichur, Karnataka (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS inspection report

1. The following deficiencies of Major Equipments in the various departments i.e.:
 - Prosthodontics and Crown & Bridge: LAB** Deflasking unit - 4, Hydraulic press – 1, Geyser – 1, Phantom heads -16.
 - Ceramic and Cast Partial Laboratory: Pre-Clinical Prosthetics Laboratory** (Adequate number of lab micro motor with attached hand piece) - 5.
 - Conservative Dentistry and Endodontics:** Ultrasonic Cleaner- 2
 - Oral & Maxillofacial Surgery: Exodontia** Ultrasonic Cleaner – 2, Needle burner with syringe cutter - 6, Extraction forceps sets - 6, Minor Oral surgery kits - 3.
 - Periodontology:** Autoclave -1, Ultrasonic Cleaner – 2.
 - Orthodontics & Dentofacial Orthopedics:** Unit mount scale - 4, Plaster dispenser - 2, Vibrator –1, Model Trimmer – 2, Lathe – 2, Typodont - 2, Hydro solder – 1.
 - Paediatric and Preventive Dentistry:** Autoclaves - 1, Ultrasonic Cleaner – 2.
 - Public Health Dentistry:** Autoclaves - 1, Ultrasonic cleaner -2, Mobile

dental van – Chair not in working condition,

Mobile Clinic: Autoclaves - 1.

2. **Infrastructure & Functional Requirements:** Auditorium (to accommodate at least 500 people) – Not as per norms.
3. All the chairs and units are not functioning and electrically operated.
4. **Observation:**
 1. The mobile van has 2 dental chairs which are broken down and not in working condition.
 2. There are three auditoriums of capacities of 140, 80 and 40 which are not as per norms.
 3. Back volumes of journals are not available in all specialities as per norms.
 4. The attendance of Non teaching faculties was not provided.
 5. The affidavits of all the facilities have not been filled as per norms.
 6. The contract of biomedical waste disposal is expired.
 7. The contract of fire safety is expired.
 8. The pollution control board certificate is expired.
 9. No separate research lab facility is available.
 10. No IPD record of attached hospital was provided.
5. **Deficiency as per MDS inspection report:**

Conservative Dentistry & Endodontics with 3 seats

Observations

1. 5% of chairs are non functional.
2. Chair not connected with centralized compressor.

Prosthodontics with 3 seats

Clinical Material:- There were 39 patients on 2nd day of Inspection against the requirement of 40.

Equipments:- Dental Chairs – 2, Sandblaster- 1, Electro polisher – 1.

Observations:

- 1) 5 chairs in PG section do not have work stations attached.
- 2) No sterilization room.
- 3) 5 chairs are not connected with air/ water supply. Even electric supply not their.
- 4) Back volume of journals not as per norms.

Periodontology with 3 seats

Equipments:- Auto clave (fully automatic) front loading – 1, bone graft membrane – 1, bone condenser - 1

Observations:

- 1) 2 dental chair not working
- 2) No autoclave.

Paedodontics and Preventive Dentistry with 3 seats

Equipments: Autoclaves for bulk instrument sterilization vacuum (front loading) -1, endodontic pressure syringe -1, plaster dispenser - 2.

Observation:

4 dental chairs not working.

Public Health Dentistry with 3 seats

Observations:

- 1) Dental van not as per DCI norms.
- 2) One portable dental unit does not have light connection.
- 3) No document submitted by the principal of the list of special cases treated by faculty.

Orthodontics & Dentofacial Orthopedics with 3 seats

Library:- Number of Back Volumes in Print form (8-10 years) of any 3 journals of concerned speciality not available.

List of journals: Orthodontics and craniofacial research is not shown, seminars in orthodontics is Nil out of 24 years, journal of orthodontics 4 years out of 16 years, Indian journal of dental research, Indian journal of orthodontic society, JADA, DCNA is not shown.

Equipments:- Model trimmer (double disc) – 1, high intensity light curing unit – 1, Polishing lathes – 1, Ultrasonic cleaner capacity 3.5 lts – 1, Electropolisher – 1, Computer software for cephalometrics – 1, unit mount scaler – 4.

Ortho Lab:- Plaster dispenser – 2, Vibrator – 1, Model Trimmer – 2, Lathe – 2, Typodont – 2, Hydro solder – 1.

Observations:

1. Majority of chair are non functional.
2. Deficiency of the following is:-
High intensity light case.

Oral Medicine & Radiology with 3 seats

Observations:

- 1) Chairs are non functional as per DCI norms.

- 2) Not connected with air or water supply.
- 3) Back volumes of journals not available as per DCI norms.

Oral and Maxillofacial Surgery with 3 seats

Clinical Material:- There were 53 patients on 2nd day of Inspection against the requirement of 60.

Equipments:- There is deficiency of various equipments viz. Ultrasonic cleaner-2, Needle burner with syringe cutter – 6, Extraction forceps sets – 6, Minor oral surgery kits – 3, Piezo surgical unit – 1, Operating microscope and microsurgery kit -1.

Observations:

1. No chair is connected to compressor
2. Chairs are non functional (no water or air connection).
3. Back volumes of international/national journals not available.

5(4). **College of Dental Sciences & Research Centre, Ahmedabad**

To consider Joint Inspection Report of the Council's Inspectors Dr. Manesh Lahori, Mathura, Dr. Balaji Manohar, Odisha and Dr. Girish Giraddy, Bangalore (carried out on 22nd & 23rd March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at College of Dental Sciences & Research Centre, Ahmedabad (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. **Deficiency as per BDS Inspection Report:**

There are deficiencies of **Major equipments** in the following departments i.e.:

Oral Medicine and Radiology: General X-ray Developer – 1 (In General Hospital).

Physiology: Haematology Lab: Stop watches – 5, Haematocrit Tubes – 2, **Clinical Lab**: Knee Hammer – 2, weighting machine – 2.

Observation:

1. Dissection hall didn't have cadavers.
2. Latest books and reference books are less in number in library.
3. NAAC Accreditation certification of the college in progress.
4. **Staff Quarters (Separate from hostel)**: Guest House with minimum double bed rooms – 1.

Deficiencies as per MDS inspection reports:

2. **University Affiliation:** - University Affiliation of MDS Courses is valid till 30.04.2022.
3. **Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats**

Equipments: Immuno histo chemistry lab – 1, stereo microscope – 1, wooden/ plastic slide boxes – 3, surgical kit for biopsy – 3, Binocular compound microscope – 4, Centralize Casting lab & Ceramic lab – not available.

Conservation Dentistry & Endodontics with 3 seats

Dr. Karan Barot, Lecturer was absent on 23.03.2022.

Equipments: Laser (preferably hard tissue) – 1.

Oral Medicine & Radiology with 3 seats

Number of Patients was 134/150 on 2nd day of Inspection.

Observation: Joseph Liza MDS 3rd year student absent on both days.

Oral and Maxillofacial Surgery with 3 seats

Number of Patients was 48/60 on 2nd day of Inspection.

Equipments: operating microscope and microsurgery kit – 1.

Paedodontics and Preventive Dentistry with 3 seats

1. Number of Patients was 31/40 on 2nd day of Inspection.
2. Ms. Rushita Shah (PG 2nd year student) was absent on 22th and 23th march 2022.
3. **Equipments:** Injectable GP condenser, spot welder – 2, ultrasonic scalers – 2.

Orthodontics & Dentofacial Orthopedics with 3 seats

Observations:

- 1) Electro polisher not working.
- 2) Orthodontic pliers and trays less in number.

Prosthodontics and Crown & Bridge with 3 seats

Observations:

1. Hot air oven not functional, Double disc model trimmer (2) not functional.
2. Autoclave (1) not functional, electro polisher not functional.

5(5). **Vinayaka Mission's Sankaracharayar Dental College, Salem, Tamil Nadu**

To consider Joint Inspection Report of the Council's Inspectors Dr. Ashu Gupta, Shimla, Dr. Mithra N. Hegde, Mangalore and Dr. Vinay Kumar Srivastava, Varanasi (carried out on 23rd & 24th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Vinayaka Mission's Sankaracharayar Dental College, Salem, Tamil Nadu (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. The following deficiencies of Major Equipments in the various departments i.e.:
 - (i). **Prosthodontics and Crown & Bridge:** Semi adjustable articulator - 2 , Extra oral/intra oral tracer – 2.
 - (ii). **Conservative Dentistry and Endodontics:** Endo motor-2, Injectable gutta – 1.
 - (iii). **Oral Pathology and Oral Microbiology:** Microscopes – 10.
 - (iv). **Oral & Maxillofacial Surgery:** Needle burner with syringe cutter – 6, Emergency drugs tray – 1, Pluse Oxymeter – 1, Oxygen cylinder – 1.
 - (v). **Paediatric and Preventive Dentistry:** RCT Instruments – 5.
 - (vi). **Oral Medicine and Radiology:** Diagnostic Kits – 40
 - (vii). **Public Health Dentistry:** Portable dental chair – 2.
 - (viii). **Department Dental Anatomy, Embryology, Oral Histology and Oral Pathology:** Disposable Blade – 1
2. **PG MDS II (2021-21)Batch:** The following PG staffs were absent on the day of inspection:
 - (i) Aishwarya Santosh, (PG 2nd Year) 23.03.2022 & 24.03.2022 (on conference)
 - (ii). Suresh. S, (PG 2nd Year) 23.03.2022 & 24.03.2022 (on conference)
 - (iii). Vishnu Prasad K, (PG 2nd Year) 23.03.2022 & 24.03.2022 (on conference)
3. **Observation:**

Dental Chairs: Out of 272 chair 27 chairs were Non functional.
4. **Deficiency as per MDS inspection reports**

Periodontology with 2 seats

1. A clinical Material detail has not furnished.
2. **Clinical Work Load** -: Specialty: 1st day of 82 but 2nd day is not furnished against the requirement of 60.
3. Specialty Department Infrastructure Details: PG Common Room & Patient Waiting Room details has not furnished.
4. **Equipments**: Arkansas sharpening stone-1, Surgery trolleys -1, Surgical cassette with sterilisation pouches- 1, Electro surgery unit-1, Bone fixation screw kit-1, Bone trephines for harvesting autografts-1, Osteotome-1, **Miscellaneous Instruments**: Digital camera-1, X-ray viewer-2, Computer available, Printer-1, Scanner-1, Implant maintenance kit (Plastic instruments)-1.
5. Table of Contents has not filled.

Oral Medicine & Radiology with 3 seats

1. Speciality Department Infrastructure details: PG Common Room not available.
2. Clinical Material speciality: 1st day 21 2nd day 20 against the requirement of 150.
3. Latest International journals details not available.

Oral & Maxillofacial Surgery with 2 seats

1. Clinical Material work load detail has not furnished.
2. **Equipments**: Details of equipments has not been mentioned by Inspection Report.

Conservative Dentistry & Endodontics with 3 seats

1. A clinical Material work load detail has not furnished.
2. Journals details not been furnished.

Dental Teaching staff:

The following teaching staff has not signed the attendance sheet on the days of inspection:

1. Dr. P. Narasimmaraju
 2. Dr. Durga. V
 3. Dr. A. Kiruthika
1. Speciality Department Infrastructure Details: A Faculty Rooms detail has not furnished.
 2. **Equipments**: Endosonic Handpieces – Micro endosonic Tips-1, Surgical endo kits -2, LCD projector – 1, Ceramic finishing kits, metal finishing kits-2, Amalgam finishing kits – 2, Chair side micro abrasion – 1, Instrument retrieval kits – 1, Equipments for casting procedures-1, Equipments for ceramics including induction casting machines/burnout

- preheat furnaces/ was elimination furnaces-1.
3. Table of contents has not filled.

Orthodontics and Dentofacial Orthopedics with 2 seats

1. Clinical work load 1st day 24 but 2nd day has not filled against the requirement of 30.
2. Specialty Department Infrastructure Details: Preclinical lab, Patient Waiting Room details has not furnished.
3. **Equipments:** Model trimmer (Double disc)-1, High intensity light curing unit-1, Polishing lathes-1, Scanner with transparency adapter-1, X-ray viewer-2, Dry heat sterilizer-1, Free plane articulators-1, Hinge articulators- 4, Computer software for cephalometrics-1.
4. Table of contents has not filled.

Pedodontics with 2 seats

1. **Clinical Work Load:** 1st day 37 and 2nd day details not furnished against the requirement of 40.
2. **Equipments :** Details not furnished.

Prosthodontics and Crown & Bridge with 2 seats

1. **Clinical Work Load** 1st day 85 and 2nd day details not furnished against the requirement of 40.
2. **Equipments:** Intra oral camera-1, Milling machine-1, Stereo microscope-1.
3. Table of contents has not filled.

Oral & Maxillofacial pathology and Oral Microbiology with 2 seats

1. **Clinical work load:** Details not furnished.
2. **Speciality Department Infra Structure Details:** Faculty Rooms, PG common Room, Preclinical/Phantom Head Lab-, Patient Waiting Room details not furnished.
3. **Equipments:** Steel slide racks for staining – 3, Wax block storing cabinet-No, Pipettes-3, Surgical kit for biopsy – 3.

5(6). **Bhojia Dental College & Hospital, Nalagarh, Himachal Pradesh**

To consider Joint Inspection Report of the Council's Inspectors Dr. Shishir Singh, Navi Mumbai, Dr. Virinider Goel, Sunam and Dr. Jitendra Bhagchandani, Lucknow (carried out on 24th & 25th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Bhojia Dental College & Hospital, Nalagarh, Himachal Pradesh (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS Periodic Report

Teaching Staff

1. There is a deficiency of One Reader in the Department of Oral & Maxillofacial Surgery and One deficiency of Reader in the Department of Periodontology.
2. The following Dental Teaching Staff were absent on the day of Inspection:-
 - (i) Dr. Shefali Singh Malik, Reader, was absent on 24.03.2022 & 25.03.2022.
 - (ii) Dr. Archana Jain, Senior Lecturer, was absent on 24.03.2022
 - (iii) Dr. Stuti Raj, Senior Lecturer was absent on 24.03.2022.

Medical Teaching Staff

3. The following **Medical Teaching Staff** were absent on the day of Inspection:-
 - (i) Ms. Garima Bharti, Reader, Physiology was absent on 24.03.2022 & 25.03.2022.
 - (ii) Dr. Hanuman Prasad Kayath was absent on 24.03.2022 & 25.03.2022.

Non Teaching Staff/Ministerial Staff

4. **There are deficiencies of Non Teaching Staff/Ministerial Staff i.e.** Dent. Tech (Dental Mechanic) - 3, Dept. Secretaries – 2.
5. **Equipments:**

There are deficiencies of equipments in the following departments:-

Prosthodontics and Crown Bridge: Phantom Heads – 25 and Pre-clinical working tables – 50.

Conservative Dentistry and Endodontics : Rubber Dam Kits – 1, Amalgamator – 2, Pulp Tester Digital – 2 , Automatic Developer – 1 and Bleaching Unit – 1.

Oral Pathology and Microbiology: Slides – 90

Orthodontics I LAB: Base Formers – 2

Department of Anatomy (Haematology Lab): Stage Incubator – 1, Winrobes Pipettes - 10, Sphygmomanometer – 15, Refrigerator – 1, Ph Meter – 1, Centrifuge R4c & R8c – 1, Haematocrit Tubes - 3 (**Clinical Lab**) : Knee Hammer – 3, Mosso's Erograph – 1, Ophthalmoscope – 1, Dynamometer – 1, Weighing Machine – 2

Department of Pharmacology: Glass Rod Medium/Small - 50, Pipette 5 ml – 15, Petri Dish – 6, Electronic Balance – 1

Department of General Pathology: Test Tubes – Adequate Number, Coupling Jar – 15, RBC pipette – 30, Hemocytometer – 10, Sprit Lamp – 3, Lancets – 1

Histopathology Room : Water Bath – 1, Spencer Knife – 1, Hot Air Oven – 1, Organic Tissue Capsule – 1, Glass Dropper Bottle – 3, Glass Funnel – 3, Glass Measuring Jar – 3, Loop Holder – 2, Toothed Forceps – 2, Petri Dish 50mm Glass – 2, Staining Basket SS – 1, Slide Box – 1.

Observations:-

1. Oral Medicine and Radiology – AERB certificate were not displayed.
2. Periodontics – 1 Ultra Sonic Cleaner not functional.
3. Conservative Dentistry and Endodontics – 1 lab Micrometer + 1 Pulp Tester was deficient.
4. Pedodontics – 1 Vibrator + 1 Plaster Dispenser + 1 Ultrasonic Cleaner + 1 spot welder non functional
5. Public Health Dentistry – Public Address System Missing.

Deficiency as per MDS Periodic Report

Conservative Dentistry and Endodontics with 5 seats

1. There is a deficiency of One Lecturer.
2. Dr. Archana Jain, Assistant Professor, Conservative Dentistry and Endodontics was absent on 24.03.2022.
3. There is deficiencies of **Equipments** viz.- Face bow with semi adjustable articulator – 1.
4. **Clinical Material:-** There are only 95 patients on the 2nd day of inspection against the requirement of 100.
5. Last Annual admission details of Academic Year (Commence and End Year) were not provided.

Observations

1. Micro Surgery Instruments were not there.
2. Ultrasonic Cleaner 13 litres with mask buckets was not available.
3. Plaster Dispenser Lathe and Vibrator were not functional.

Oral & Maxillofacial Pathology and Oral Microbiology with 2 seats

1. There is a deficiency of One Lecturer.
2. **Clinical Material:-** There are only 15 patients on the 1st day and 13 patients on the 2nd day of inspection against the requirement of 18.
3. **Observations:-** The Penta Head Microscope was under repair.

Orthodontics and Dentofacial Orthopedics with 5 seats

1. There is a deficiency of One Lecturer.
2. Dr. Stuti Raj, Lecturer, Orthodontics and Dentofacial Orthopedics was absent on 24.03.2022.
3. The following Students Academic Presentation (Clinical Case Discussion) are as under:-
 - (i) Dr. Sahira - Not available.
 - (ii) Dr. Saloni – Not available.
 - (iii) Dr. Yenika – Not available.
 - (iv) Dr. Siddhartha - Not available.
 - (v) Dr. Vaishnavi – Not available.

Pedodontics and Preventive Dentistry with 2 seats

1. There is a deficiency of One Lecturer.
2. **Clinical Material:-** There are only 36 patients on the 1st day of inspection against the requirement of 40.

Observations:-

1. Conscious Sedation Unit was not functional.
2. Oxygen Cylinder is not available.
3. Spot Welder was non functional.

Prosthodontics and Crown & Bridge with 5 seats

1. Dr. Shefali S. Malik, Reader, Prosthodontics and Crown & Bridge was absent on 24.03.2022 and 25.03.2022.
2. Last annual admission details for all specialties (Academic Year) was not provided.

5(7). Subharati Dental College, Meerut, Uttar Pradesh

To consider Joint Inspection Report of the Council's Inspectors Dr. Biswajit Mishra, Raipur, Dr. Manoj Kumar Singh, Kolkata and Dr. Veena V. Naik, Belgaum (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Subharati Dental College, Meerut, Uttar Pradesh (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. The following Dental Teaching Staffs were absent on the day of Inspection:
 - (i) Dr. Preeti Sharma, Professor, Oral & Maxillofacial Pathology and Oral Microbiology (30.03.2022 & 31.03.2022)
 - (ii) Dr. Anshul Trivedi, Reader, Prosthodontics and Crown &

- Bridge (30.03.2022 & 31.03.2022)
- (iii) Dr. Rohit Bahugna, Reader, Prosthodontics and Crown & Bridge (30.03.2022)
 - (iv) Dr. Tarun Gaur, Lecturer, Prosthodontics and Crown & Bridge (30.03.2022 & 31.03.2022)
 - (v) Dr. Shalya Raj, Professor, Conservative Dentistry & Endodontics (30.03.2022 & 31.03.2022)
 - (vi) Dr. Megna Bhatt, Lecturer, Conservative Dentistry & Endodontics (30.03.2022 & 31.03.2022)
 - (vii) Dr. Navneet Kaur, Lecturer, Conservative Dentistry & Endodontics (30.03.2022 & 31.03.2022)
 - (viii) Dr. Somya Panwar, Lecturer, Conservative Dentistry & Endodontics (30.03.2022 & 31.03.2022)
 - (ix) Dr. Himanshu Kapoor, Reader, Pediatric & Preventive Dentistry (30.03.2022)
 - (x) Dr. Soundarya Singh, Lecturer, Periodontology (30.03.2022 & 31.03.2022)
 - (xi) Dr. Rinky Singh, Demonstrator, Periodontology (30.03.2022 & 31.03.2022)
2. The following Dental Teaching Staffs were leave on the day of Inspection:
 - (i) Dr. Manvi Sharma, Tutor, Physiology (30.03.2022 & 31.03.2022)
 - (ii) Dr. Shweta Chawla Grover, Professor, Pathology (30.03.2022 & 31.03.2022)
 - (iii) Dr. Anubhuti, Assistant Professor, Microbiology (Maternity leave on 30.03.2022 & 31.03.2022)
 - (iv) Dr. Amit Kumar, Assistant Professor, Medicine (Academic leave on 30.03.2022 & 31.03.2022)
 3. There is deficiency of One Reader in the department of Microbiology
 4. There are deficiencies of two Lecturers i.e. Physiology-1 and Pharmacology-1.
 5. **Deficiency as per MDS inspection reports:**

Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats
(3+1+3)

1. **Clinical Work Load:** Speciality: 1st day- 5 and 2nd day- 7 against the requirement of 2+6+10.
2. **Journals:** Latest National and International Journals details not furnished.

Orthodontics & Dentofacial Orthopedics with 6 seats

1. Dr. Junaid Khan, PG student was on leave on the both days of Inspection

Oral & maxillofacial Surgery with 3 seats

Stipend for PG Students- details not furnished.

Pediatric and Preventive Dentistry with 3 seats

1. **Journals:** last two years Indian and Foreign Journals -not available.
2. Stipend for PG Students- details not furnished.

Periodontology with 6 seats

1. **Equipments:** Dental Chairs and Units-1, Pressure sensitive probe-1, SURGICAL INSTRUMENTS: Bone Fixation screw kit-1 available in implant clinic, Bone scrapper-1 available in implant clinic, Bone trephines for harvesting autografts-1 available in implant clinic, MISCELLANEOUS INSTRUMENTS: Sinus lift kit-1 available in implant clinic.

Oral Medicine & Radiology with 3 seats

Equipments: Dental Chairs and Units-2, Automatic radiographic film processors-1.

5(8). **Faculty of Dental Sciences, Dharmsinh Desai University, Nadiad, Gujarat**

To consider Joint Inspection Report of the Council's Inspectors Dr. Biswajit Mishra, Raipur, Dr. Shitij Srivastava, Lucknow and Dr. G.M. Sogi, Mullana (carried out on 22nd & 23rd March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Faculty of Dental Sciences, Dharmsinh Desai University, Nadiad, Gujarat (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. **Deficiency as per BDS Inspection Report**

The following **dental teaching staffs** were absent on the day of Inspection:-

1. Dr. Vinit B. Patel, Reader, PCD was absent on 22.03.2022.
2. Dr. Vishal D. Patel, Reader, Orthodontics was absent on 22.03.2022.
3. Dr. Trishala Patel and Dr. Thanmai Taduri, Lecturer, Prosthodontics was absent on 22.03.2022.

2. **The following P.G student was absent on the day of Inspection:-**

1. Mr. Makwana Parth Bhaveshbhai, 1st year MDS, P.G student was absent on 22.03.2022.
 2. Ms. Doshi Riddhi Vineshkumar, 2nd year MDS, P.G student was absent on 22.03.2022.
 3. Mr. Thakkar Jaini Shailesh Bhai, 2nd year MDS, P.G student absent on 22.03.2022.
3. There are deficiencies of Non Teaching Staff/Ministerial Staff i.e.: Receptionist – 10, Dent. Tech. (Dental Mechanic) – 10, Dent. Hygst. – 5, Carpenter – 1, Lab. Technicians – 5.
 4. **Infrastructure & functional requirements:** Amenities area to include boys and girls locker room, Boys and girls common room, Common room for non-teaching staff, Common room for teaching staff, Change room for men, change room for women – No Locker Room and No Common Room for Boys & Girls.

Conservative Clinical lab - Not as per specifications

AREB certified Radiographic Room along with Dark Room – Not AREB Certified.

Land & Infrastructure Details:

Sewage treatment plant, Bio-waste incinerator are not available
Bio-waste management - not followed by as per PCBI.

5. **There is deficiencies of equipments in the following departments:-**

Prosthodontics and Crown & Bridge: Dental Chairs and units – 5 not working, Heavy duty hand piece (Lab micromotors) – 2, Autoclave – 1, (Lab): Flask Press – 1, Phantom heads – 50, Ceramic and Cast Partial Laboratory: Vacuum mixing machine – 1.

Conservative Dentistry and Endodontics : Dental Chairs and units – 16 chairs not working, Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 3 Not working, Pulp tester digital – 3, Glass bead sterilizers – 4 not working, Plaster dispensers – 2, Vibrator – 1, Automatic Developer – 1, Injectable gutta percha – 3 not working, Phantom Lab Unit – 60.

Clinical Laboratory: Plaster Dispenser – 2, Ultrasonic cleaner – 1, Burnout furnace – 1, Porcelain furnace – 1, Sandblasting machine – 1, Vacuum mixer – 1, Casting machine (motor cast/ induction casting preferred) – 1, Ceramic Unit – 1.

Oral & Maxillofacial Surgery (A) Exodontia: Dental chairs and units – 2 not working, Autoclaves – 4, Ultrasonic cleaner – 2, Needle Burner with Syringe – 8, Extra Forceps sets – 2, Dental

Elevators – 10, , Minor Oral Surgery Kits – 2, Emergency Drugs Tray – 2, X-Ray viewer – 2, Pulse Oxymeter – 2, BP apparatus- 2, Stethoscope – 2, Thermometer – 2, Glucometer – 1, Oxygen Cylinder – 2, Oxygen mask Adult – 2, Oxygen mask Pedo – 2, Impaction Kit – 3, Lab Micromotor with hand piece – 3, Trauma Kit – 1, High Volume Suction – 2, Surgical Straight Hand Piece - 4. B) Minor Surgery: Dental Chairs and Unit – 5.

Periodontology: Dental Chairs and units – 2 not working, Autoclave – 1, Ultrasonic Cleaner – 2, Electro Surgical Cautery – 1, Needle burner with syringe cutter – 4, Laser (soft tissue laser) – 1, Physio Dispenser with plant kit – 1, X-ray Viewer (Extra Oral) – 2, Hand Scaler Supragingival – 10, Hand Scaler Subgingival – 10, Set of Curettes – 2, Electro Cautery Kit – 1, Periodontal Surgical Kit – 3

Orthodontics: Dental chairs and units – 4 not working, Unit mount scaler – 4 not working, Autoclave – 2, Ultrasonic cleaner – 2, (Ortho Lab): Plaster dispenser – 2 not working, Vibrator – 2, Model Trimmer – 2

Paediatric and Preventive Dentistry: Dental Chairs and Units – 11 not working, Autoclaves – 1, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 2 not working, Injectable gutta percha with condensation – 1 not working, Radiovisiography – 1, Intra Oral Camera (with high resolution) – 1, Extraction forceps – 7 short, Intra oral X-ray – 1, Automatic Developer – 1, (Pedo Lab): Plaster Dispenser – 2 not working, Model Trimmer (with diamond disc) – 1, Model Trimmer (with carborandum disc) – 1, Lab micro motor (heavy duty with Hps) – 3, Pressure moulding machine – 1.

Oral Medicine and Radiology: Dental chairs and units – 4 not working, Panoramic X-ray with Cephalometric (Preferably digital AERB Certified) – Not AERB Certified, Intra Oral X-ray unit (AERB Certified) – Not AERB Certified, Pulp Tester – 3, Automatic periapical X-ray Developer – 1, Automatic Panoramic with Cephalometric X-ray Developer – 1, X-ray Viewer – 2, Radiovisiography with Intra Oral Camera – 1, General X-ray Unit – 1, Automatic Developers / Dark Room (AERB Criteria) – 1, Lead Aprons – 1 short, Lead Gloves – 2, Lead collar - 2, X-ray Hangers – 6, Diagnostics Kits- 40, Lead Screen – 1, Biopsy Kit – 1, Autoclave – 2, Needle Burner with syringe cutter – 2, Diagnostic Kit – 25, Biopsy Kit – 2, Sailography – 1.

Public Health Dentistry: Dental chairs and units – 16 not working, Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 4.

Mobile Clinic: Mobile dental van - Not available, Dental chair with unit - Not available, Autoclaves – 1, Intraoral X-ray – 1,

Glass bead sterilizers -1, Compressor – 1, Metal Cabinet – 1, Portable dental chair – 2, Stabilizer – 1, Generator – 1, Water tank – 1, Oxygen cylinder – 1, Public address system – 1, TV and video cassette player – 1, Demonstration models – 5.

Histopathology Room : Microtome -1, Wax Bath – 1, Water Bath – 1, Knife Sharpener – 1, Spencer Knife – 1, Disposable Blade – 1, Hot Air Oven – 1, Organic Tissue Capsule – 2, Distilled water Plant – 1, Diamond Tip Pencil – 1, Glass Dropper Bottle – 5, Glass Bottle with lid – 5, Wide mouth bottles – 5, Glass Funnel – 5, Glass Pipette – 5, Glass measuring Jar – 5, Petri Dish 4 Glass – 5, L Blocks – 3, Loop Holder – 3, Magnifying Glass 1, Toothed Forceps - 5 .

Department of Anatomy (Dissection Hall): Dissection table stainless-steel tables with drainage for cadavers dissection – 4 large & Small, Educational models – 10.

Cadaver Room: Large storage tank – 1, Small tank – 1, Freezer unit – 1.

Histology Room: Dissection Microscopes – 5 not mentioned, Monocular microscopes – 25, binocular microscopes – 1.

Museum: Full body skeletal bones – 3, Head and neck bones set – 5, Complete human organs specimen set – 1.

Department of Physiology: Hematology Lab: microscopes - 50, stage incubator – 1, Westergen's pipettes for E.S.R. on stand – 5(ESR stand) and 10 (Pipettes), Winrobes Pipettes – 50, Haemo Giobinometer, Sahli's – 50, Haemocytometers - 50, Sphygmomanometer – 30, Stethoscopes – 25, Refrigerator – 1, Stop watches – 25, Ph Meter – 1, Analytical Balance – 1, Cenrifuge R4c & R8c – 1, Blood Cell Counters – 1, Haematocrit Tubes – 5, Glass wares – for 50 students.

Clinical Lab: Clinical Thermometers – 5, Knee Hammer – 5, Spirometer (Ordinary) – 3, Mosso's Erograph – 1, Ophthalmoscope – 1, Dynamometer - 1, Perimeter - 1, Hair Aesthesiometer - 2, Bicycle Ergrometer - 1, Examination Couches - 5, Sterilizer - 1, Weighing Machine - 3, Height Chart - 1, Snellen's Chart – 1.

Department of Biochemistry (Clinical Lab): Micro pipettes – 5, Water Bath – 4, Distillation Apparatus – 2, Fume Cupboard – 1, (Preparation Room): Balance – 3, Fridge -1, Instrument Room – Nil, Colorimeter -5, Microscopes – 5, Electrophoretics Apparatus – 2, Urinometer -20, Centrifuge – 1, Incubator – 1, Hot air oven – 2.

Department of Pharmacology (Clinical Lab): Beakers – 100 (each), China dish – 50, conical flask -5, funnel – 25 each, Glass Rod Medium/Small – 100, Measuring Cylinder – 60, Measuring Cylinder 250ml – 5, Measuring Cylinder 500ml – 2, Mortar and pestle – 50 each, Pasteur pipette pack of 100 – 3, Pipette 1 ml -100, Pipette 2 ml -50, Pipette 5 ml – 25, Reagent bottle with lid narrow mouth – 100 each, Reagent bottle with lid narrow mouth – 100 each & 500ml - 50, Reagent bottle with lid wide mouth – 50, Reagent bottle with wide mouth – 100 each & 500ml -50, test tubes (medium) – 50, Petri dish – 10, Wash bottle – 75, Dropper bottle – 50, Instruments: transparent dispensing box – 50, dispensing balance – 50, dispensing weight box – 50, sensitive balance – 1, Sphygmomanometer – 1, spirit lamp – 7, test tube holders – 25, water bath – 1, wax paper bundles – 5.

Department of Microbiology (Clinical Lab): Microscopes monocular – 50, Microscopes binocular – 1, Incubator – 1, Double door refrigerator – 1, Autoclave (Small) – 1, Electronic Balance – 1, Water Bath – 1, Anaerobic jar – 1, Centrifuge – 1, Bio safety cabinet – 1, Hot air oven – 1, Hot plate – 1.

Department of General Pathology (Clinical Lab): Test tubes – Nil, Glass pipette – 25 each, Conical flask – 50, Couping jar – 25, Wintrobe tubes -20, Dropper bottles -25, Capillary tubes – 2 pack, RBC pipette – 60, Glass rods – 50, Micropipettes - 50, Hemometer pipette – 20, (Instruments): Microscopes – 25, Incubator – 1, Centrifuge – 1, Hemocytometer – 20, Hemometer – 20, Water Bath – 1, Electronic weigh scale – 10, Spirit lamp – 5, Test tube stand – 50, ESR stand – 25, Laboratory thermometer – 5, Counting Chamber – 10, Sphygmomanometer – 1, Lancets – 1pack, Stethoscope – 1.

6. **Staff Quarters (Separate From Hostel):**

Principal/ Dean's Bungalow – 1
Staff Quarters – 19.

7. **Hostel For Boys and Girls:-**

No. of equipped common Rooms and No. of Messes are nil.

8. **Observations:**

No International Journal available from 2021.

Internet/ Photocopy not working in library.

Dental Hygienist staff not available.

Reader in Dept. of Public Health dentistry joined institution on 24th march 2022.

Deficiency as per MDS inspection report

Conservative Dentistry & Endodontics with 3 seats

- There is a deficiency of One Reader in Conservative Dentistry & Endodontic.

Last annual admission details:

- Not mentioned except general category.

Speciality Department Infra Structure Details:

- Faculty rooms/Laboratory Space/ Seminar Room/ PG Common Room/ Preclinical/ Phantom Head Lab are not available.

Library Details:

- No International Journals from 2021.

List of Journals:

Dental clinic of north America – not available,

Quintessence International – not available,

International Dental Journal – not available,

Dental Abstracts – not available.

Internet facilities - not working in library.

Photocopy facilities -not working in library.

Equipments: There are deficiencies of equipments viz. Endosonic handpieces (Micro Endosonic Tips, Retro Treatment) – 2, Autoclaves for Bulk Instrument Sterilization Vacuum (front loading) – 1, Autoclaves for hand piece sterilization – 1, Surgical Endo Kits (Microsurgery) – 2, Sterilizer Trays For Autoclave - 2, Ultrasonic cleaner capacity 3.5 lts – 1, Conventional VLC Units One For Every Two Chairs – 1, LCD projector – 1, Composite kits with different shades and polishing kits – 1, Ceramic finishing kit, metal finishing kits – 2, Amalgam finishing kits- 2, RVG with x-ray machine developing kit – 1, chair side micro abrasion – 1, Computer with Internet Connection with attached printer and scanner – 1, Refrigerator – 1, Equipments for casting procedures – 1, Equipments for ceramics including induction casting machines/burnout preheat furnaces/was elimination furnaces – 1, Laser (preferably hard tissue) – 1, face bow with semi adjustable articulator – 1.

Observations:

- 04 Dental chairs not functional in PG section.
- Temporary ethical committee registered which is expired.
- AERB Certification is not submitted.
- Endo Lab not functional.

- AERB Norms compliance is not submitted.

Orthodontics and Dentofacial Orthopaedics with 3 seats

Clinical Work Load: Attached General Hospital - No details have been mentioned about number of patients on the 2nd day of inspection

Equipments: LCD Projector – 1, Dry heat sterilizer – 1, Ultrasonic cleaner capacity 3.5 lts – 1, Refrigerator – 1.

Last annual admission details:

- Not mentioned except OBC/General category

Observations:

- 1) Temporary ethical committee registered which is expired.
- 2) AERB Certification of Radiology department not done.
- 3) Biomedical waste segregation at source not done.

Oral & Maxillofacial Surgery with 3 seats

Equipments: Equipments details has not mentioned.

List of research activities has not submitted.

Observation:

AERB Certification of radiology dept. not done.
International Journals of 2021 not available.

Periodontology with 3 seats

There is a deficiency of One Reader.

Equipments: Details not furnished.

Observation:

Ethical committee registration expired.
AERB Certification of radiology dept. not done.
International Journals of year 2021 not available.

Oral & Maxillofacial pathology and Oral Microbiology with 3 seats

Clinical Work Load:

There were only 13 patients on 22.03.2022 and 08 patients on 23.03.2022 against the requirement of 18.

No details have been mentioned about number of patients on the 2nd day of inspection

List of Journals: Latest International journals of year 2021 not present.

Observations:

Ethical Committee registration was temporary which is expired.
AERB Certification of Radiology dept.- not done.
International Journals of 2021 not available.

Prosthodontics and Crown & Bridge with 3 seats

Equipments: Details not furnished.

Observations:

Temporary ethical committee registered which is expired.
AERB Certification of Radiology dept.- not done.
International Journals of 2021 are not available.

5(9). **Sharad Pawar Dental College & Hospital, Wardha, Maharashtra**

To consider Joint Inspection Report of the Council's Inspectors Dr. Manish Goyal, Moradabad, Dr. Shabnam Zahir, Kolkata and Dr. Sanjay Kumar Roy Chowdhury, Delhi (carried out on 29th & 30th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Sharad Pawar Dental College & Hospital, Wardha, Maharashtra (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS Inspection Report

1. The following Dental Teaching Staffs were absent on the day of Inspection:-
 - (i) Dr. Bhushan P Mundada, Reader, Dept. of Oral & Maxillofacial Surgery was absent on 29.03.2022 and 30.03.2022.
 - (ii) Dr. Neha Shetty, Lecturer, Dept of Oral & Maxillofacial Surgery was absent on 29.03.2022.
 - (iii) Dr. Rutuja Gawarle, Lecturer, Dept. of Conserative Dentistry & Endodontics was in camp on 29.03.2022 and 30.03.2022.
 - (iv) Dr. Shruti Mishra, Lecturer, Dept. of Conserative Dentistry & Endodontics was absent on 29.03.2022 and 30.03.2022.
 - (v) Dr. Ankita Rajurkar, Lecturer, Dept. of Conserative Dentistry & Endodontics was in conference on 29.03.2022.
 - (vi) Dr. Aradhna Kibe, Lecturer, Dept. of Conserative Dentistry & Endodontics was in conference on 29.03.2022.
 - (vii) Dr. Bhagyashri Karwa, Lecturer, Dept. of Conserative Dentistry & Endodontics was in conference on 29.03.2022.
 - (viii) Dr. Ashish Jaiswal, Lecturer, Dept. of Public Health Dentistry was

absent on 29.03.2022.

2. **The following Medical/Teaching Staffs were absent on the day of Inspection:-**

- (i) Dr. Jayant. S Makrande, Associate Professor, Dept. of General Pathology was absent on 29.03.2022 and 30.03.2022.
- (ii) Dr. Sachin Aggarwal, Professor, Dept. of General Medicine was absent on 29.03.2022 and 30.03.2022.
- (iii) Dr. Pankaj K. Gharde, Professor, Dept. of General Surgery was in OT on 29.03.2022 and 30.03.2022.
- (iv) Dr. Jui A. Jadhav, Assistant Professor, Dept. of Anesthesia was in OT on 29.03.2022 and 30.03.2022.

3. **Major Equipments :-**

- (i) Prosthodontics (Ceramic and Cast Partial Laboratory):- Ultrasonic Cleaner – 1.
- (ii) Oral Medicine and Radiology:- Biopsy Kit – 1.
- (iii) Public Health Dentistry:- Ultrasonic Cleaner – 2 and Needle Burner with syringe cutter – 2.

4. **Central Library :-** As per remarks of the inspector –“Mentioned” but the report is not attached.

5. **The following P.G students were absent on the day of Inspection:-**

- (i) Ms. Kabra Sakshi Pravin, Pedodontics, 1st year P.G student was in camp on 29.03.2022.
- (ii) Ms. Dhruvi Raj Solanki, Pedodontics, 1st year P.G student was in camp on 29.03.2022.

6. **Observations:-**

- (i) Dept. of **Orthodontics**:- Equipment complaint. However the dept. is under periodic renovation and maintenance.
- (ii) Dept. of **Pedodontics**:- Proper entry in sterilization register not done.
- (iii) Dept of **Oral and Maxillofacial Surgery**:- Proper Segregation of biomedical waste is not done.
- (iv) Dept. of **Conservative Dentistry and Endodontics**:- PG Clinical area not well ventilated.

Deficiency as per MDS Inspection Report

1. **Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats**

- (i) **Clinical Material**:- There were only 11 patients on 29.03.2022 and 12 patients on 30.03.2022 against the requirement of 18.
- (ii) List of Journals and List of Books are not filled by DCI Inspector.

- (iii) Observation:-
However, the Penta Head is deployed and functional along with Central Pathology Lab services.

2. **Oral and Maxillofacial Surgery with 6 seats**

The following Dental Teaching Staffs were absent on the day of Inspection:-

- (i) Dr. Prafulla Gaikwad, Reader, Oral and Maxillofacial Surgery was absent on 29.03.2022.
(ii) Dr. Bhushan Mundada, Reader, Oral and Maxillofacial Surgery was in camp on 29.03.2022 and 30.03.2022.
(iii) Dr. Neha Shetty, Lecturer, Oral and Maxillofacial Surgery was in OT on 29.03.2022.

3. **Pedodontics and Preventive Dentistry with 3 seats**

- (i) **Documents Submitted by Principal:-** List of Research Activities and List of Special Cases treated by faculty are not submitted.
(ii) **Last Annual Admission Details for the said Specialty:-**
(a) Dr. Sakshi Kabra, Student was absent on 29.03.2022.
(b) Dr. Dhruvi Raj Solanki, Student was absent on 29.03.2022 and 30.03.2022.
(c) Dr. Himani Parakh, Student was absent on 29.03.2022.

4. **Oral Medicine and Radiology with 3 seats**

- (i) **Equipment:- Radiographic Filters (conventional and rare earth) –** Not Available.
(ii) **Staff Assessment for Publication:-** Dr. Rahul Bhowate, Professor has only 22.5 points against the requirement of 30 points.
(iii) **Clinical Material:-** There were only 140 patients on 29.03.2022 and 105 patients on 30.03.2022 against the requirement of 150.
(iv) **Last Annual Admission -**Details for all specialties has not mentioned.
(v) **Documents submitted by the Principal -** Not filled.

5. **Prosthodontics and Crown & Bridge with 6 seats**

- (i) Equipments:- X-Ray Machine with RVG – 1.

6. **Conservative Dentistry and Endodontics with 6 seats**

The following Dental Teaching Staffs were absent on the day of Inspection:-

- (i) Dr. Rutuja Gawarle, Lecturer, Conservative Dentistry and Endodontics was in camp on 29.03.2022 and 30.03.2022.
(ii) Dr. Ankita Rajurkar, Lecturer, Conservative Dentistry and Endodontics was in conference on 29.03.2022.

- (iii) Dr. Bhagyashree Karwa, Lecturer, Conservative Dentistry and Endodontics was in conference on 29.03.2022.
- (iv) Dr. Aradhna Kibe, Lecturer, Conservative Dentistry and Endodontics was in conference on 29.03.2022.
- (v) Dr. Shruti Mishra, Lecturer, Conservative Dentistry and Endodontics was absent on 29.03.2022 and 30.03.2022.
- (vi) Clinical Material :- There were only 88 patients on 29.03.2022 and not mentioned the number of patients on 30.03.2022
- (vii) Scientific Presentations for allied /Non Specialty are not filled.
- (viii) Observations:-There is a deficiency of Wap eliminator duplicator.

7. **Periodontology with 3 seats**

- (i) Equipments:- Pressure Sensitive Probe – 1, Physio Dispenser – Centralized, Implant Kit – Centralized and Implants - Centralized.
- (ii) Clinical Material:- There were only 59 patients on 29.03.2022 against the requirement of 60.
- (iii) Observations:- Dr. Anuradha Tiwari, P.G student was on medical leave.

8. **Orthodontics & Dentofacial Orthopedics with 6 seats**

- (i) **Clinical Material**:- There were only 46 patients on 29.03.2022 against the requirement of 50.
- (ii) **Observation**:- 100 mm lens is deficient.`

5(10). **School of Dental Sciences, KIMS (Deemed University), Karad, Maharashtra**

To consider Joint Inspection Report of the Council's Inspectors Dr. Manu Rathee, Rohtak, Dr. Mamta Singh, Indore and Dr. Prosenjit Banerjee, Kolkata (carried out on 29th & 30th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at School of Dental Sciences, KIMS (Deemed University), Karad, Maharashtra (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. The following **Dental Teaching Staffs** were absent on the day of Inspection:
 - (i) Dr. Namrata Gaonkar, Reader, Pedodontics & Preventive Dentistry (29.03.2022 & 30.03.2022)
 - (ii) Dr. Ganesh Patil, Tutor, Oral & Maxillofacial Surgery (29.03.2022)
 - (iii) Dr. Priyanka Jadhav, Tutor, Oral Pathology & Oral Microbiology (29.03.2022 & 30.03.2022)
 - (iv) Dr. Aman Mulla, Tutor, Public Health Dentistry (Camp Duty on 29.03.2022)
 - (v) Dr. Krupa Patil, Tutor, Public Health Dentistry (Camp Duty)

- on 29.03.2022)
2. The following Medical Faculty were on leave on the day of Inspection:
 - (i) Dr. Sujata Abhay Jadhav, Professor, Gen Pharmacology (29.03.2022 & 30.03.2022)
 - (ii) Dr. Atul Hulwan, Asst. Professor, Gen. Pathology (29.03.2022 & 30.03.2022)
 - (iii) Dr. Nitin Narendrakumar Jadhav, Professor, General Medicine (29.03.2022)
 - (iv) Dr. Vishnupant H. Nerlekar, Professor, General Surgery (29.03.2022 & 30.03.2022)
 3. The following PG Students were absent / leave on the day of Inspection:
 - (i) Dr. Sanno Singh, III Year, Prosthodontics (29.03.2022)
 - (ii) Dr. Patil Mayuri Sanjay, II Year, Prosthodontics (29.03.2022)
 - (iii) Dr. Jaiswal Shruti Jitendra, II Year Periodontology (29.03.2022 & 30.03.2022)
 - (iv) Dr. Vinay Kumar Gupta, Ist Year, Oral Surgery (Peripheral Posting 29.03.2022 & 30.03.2022)
 4. There are following deficiencies of Major Equipments in the various departments:
Oral Pathology and Oral Microbiology: Dental Chairs and Units-2.
Orthodontics: Dental Chairs and Units-3.
 5. **Observations:**
 1. The boys hostel was shared with medical college.
 2. Phantom heads shared by Endodontics and Prosthodontics.
 6. **Deficiency as per MDS inspection reports:**

Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats
 1. **Equipments:** Dental Chairs and Units-1, Multi Head Microscope-1.
Prosthodontics and Crown & Bridge with 5 seats
 1. **Equipments:** Wax heater-1, Wax carvers (Full PKT Set)-1, Die cutting machine-1.
Oral and Maxillofacial Surgery with 3 seats
 1. **Journals:** latest National and International Journals details has not furnished.
Conservative Dentistry & Endodontics with 3 seats

1. **Equipments:** Endosonic handpieces – Micro endosonic tips, retro treatment-1, Magnifying loupes one for students and one for faculty-1, Face bow with semi adjustable articulator-1.

Periodontology with 3 seats

1. **Equipments:** Mini five cures-1.

5(11). **M.A. Rangoonwala College of Dental Sciences & Research Centre, Pune, Maharashtra**

To consider Joint Inspection Report of the Council's Inspectors Dr. Anirban Chatterjee, Durg, Dr. R.K. Sharma, Rohtak and Dr. Suparna Ganguly Saha, Indore (carried out on 29th & 30th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at M.A. Rangoonwala College of Dental Sciences & Research Centre, Pune (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS Inspection Report:

1. The following Dental Teaching Staffs were absent on the day of inspection:-
 - (i) Dr. Murtuza Jhabuawala, Sr. Lecturer, Conservative Dentistry and Endodontics (29.03.2022).
 - (ii) Dr. Smita Bussari, Reader, Oral Pathology and Oral Microbiology (29.03.2022 and 30.03.2022).
 - (iii) Dr. Mohit Kheur, Professor, Prosthodontics and Crown & Bridge (29.03.2022 and 30.03.2022)
 - (iv) Dr. Meena Syed, Lecturer, Pediatric & Preventive Dentistry (29.03.2022 and 30.03.2022)
2. The following deficiencies in the various departments:-
 - (i) Nursing Staff (Sister Incharge):- 3
 - (ii) Engineering Staff (Mechanical):- 2
 - (iii) Administrative Staff (UDC):- 2, LDC:- 4
3. **Equipments:** There is deficiency of equipments in the following departments:-

Oral & Maxillofacial Surgery) A) Exodontia:- Dental Chairs and Unit – 24 are Manual and 4 are Electrical, Autoclaves – 4, Ultrasonic Cleaner – 1, Needle Burner with syringe cutter – 1, Pulse Oxymeter – 1, Surgical Straight Hand Piece – 4.

Orthodontics:- Dental Chairs and Units - No Dental Chair is Electrical, Autoclave – 2, Ultrasonic Cleaner - 2

Pediatric and Preventive Dentistry:- Dental Chairs and Units – 19(17 Non Functional all are manual), Autoclaves – 2, Ultrasonic Cleaner – 2.

Oral Medicine and Radiology – Lead Gloves.

Department of Physiology(Clinical Lab):- Knee Hammer – 3, Spirometer – 2.

Department of General Pathology:- Electronic weigh Scale – 8.

Note:-All Chairs should be electrical.
4. **Staff Quarters(Separate from Hostel):-**

Principal Dean's Bungalow – N.A
Staff Quarters – N.A
5. **University Affiliation:-** The University affiliation is valid for the year 2021-22 and has not provided the current University affiliation for the year 2022-23.

Deficiency as per MDS Inspection Report

Orthodontics & Dentofacial Orthopedics with 6 seats

1. **Equipment:-** Autoclaves for bulk instrument sterilization vacuum (front loading) – 1.
2. **Last Annual Admissions Details for Specialty:-** Mr. Meeyajiwala Yusuf Juzer was absent on 29.03.2022.
3. **Documents Submitted by the Principal:-** Biometric attendance and AERB certification is not submitted.

Pedodontics and Preventive Dentistry with 6 seats

1. **Equipments-** There are deficiencies of equipments viz. Dental Chairs and Units – 14 Working Dental Chairs, 6 Dental Chairs with none of the function, Autoclaves for bulk instrument sterilization vacuum – 1, Computer with internet connection with attached printer and scanner – 1 without scanner.
2. **Clinical Material:-** There was only 56 patients on 30.03.2022 against the requirement of 60.
3. Last Annual admission details for all specialties for academic is not mentioned.

Oral and Maxillofacial Surgery with 6 seats

1. **Last Annual Admission Details for specialty (List of MDS Students 1st Year MDS):-**
Ms. Yasmeen Parveen K M Aftabullah was absent on 29.03.2022 & 30.03.2022.
2. **Last Annual Admission Details for specialty (List of MDS Students 2nd Year MDS):-**
Mr. Hajra Afnan MD Asrar Ahmedafnan Md Asrar Ahmed was absent on 29.03.2022 & 30.03.2022.
3. **Last Annual Admission Details for specialty (List of MDS Students 3rd Year MDS):-**
Mr. Sayyed Zaki Ismail was absent on 29.03.2022 and 30.03.2022.

Oral & Maxillofacial Pathology and Microbiology with 6 seats

1. Dr. Smita Bussari was absent on 29.03.2022 & 30.03.2022.
2. **There are deficiency of Equipments:-** Cryostat – 1, Hard Tissue Microtome – 1, Tissue storing cabinet (frozen) – 1
3. **Clinical Material:-** There was only 07 patients on 29.03.2022 and 08 patients on 30.03.2022 against the requirement of 24.

Periodontology with 6 seats

1. **Clinical Material:-** There was only 86 patients on 30.03.2022 against the requirement of 100.
2. **Last annual admission details for specialty:-**
 - (i) Ms. Taania Saana Aarif was absent on 29.03.2022 and 30.03.2022.
 - (ii) Mr. Salve Satayajit Shivaji was absent on 29.03.2022.
3. **Documents Submitted by the Principal –** Biometric attendance is not submitted.

Prosthodontics with 6 seats

1. **Clinical Material:-** There were only 54 patients on 30.03.2022 against the requirement of 100.
2. **Documents Submitted by the Principal –** Centralized Air Compressor details not submitted.

5(12). **Singhad Dental College & Hospital, Pune, Maharashtra**

To consider Joint Inspection Report of the Council's Inspectors Dr. Uttam Kumar Sen, Purba Medinipur, Dr. Mukesh Kumar Singh, Moradabad and Dr. Rajan Gupta, Sirmour (carried out on 29th & 30th March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Singhad Dental College & Hospital, Pune, Maharashtra (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Bio Medical Waste Treatment Facility:** The Bio Medical Waste Treatment Facility agreement dated 20.04.2009 with Pune Municipal Corporation, registration is valid upto 01.04.2021 to 31.03.2022.
3. The following Dental Teaching Faculties were on leave on the day of Inspection:
 - (i) Dr. Prakhar Kapoor, Reader, Oral Pathology and Oral Histology (exam duty on 29.03.2022 & 30.03.2022)
 - (ii) Dr. Dipali Shah, Professor, Conservative Dentistry & Endodontics (29.03.2022 & 30.03.2022)
 - (iii) Dr. Ashwini Dadpe, Reader, Conservative Dentistry & Endodontics (exam duty on 29.03.2022 & 30.03.2022)
 - (iv) Dr. Omkar Balsaraf, Reader, Conservative Dentistry (exam duty on 29.03.2022)

- (v) Dr. Raghavendra S Medikeri, Professor, Periodontics (exam duty on 29.03.2022 & 30.03.2022)
 - (vi) Dr. Raju Patil, Professor, Pedodontics (exam duty on 29.03.2022 & 30.03.2022)
 - (vii) Dr. Daya K Jangam, Professor, Oral Medicine (29.03.2022 & 30.03.2022)
 - (viii) Dr. Amita Aditya, Reader, Oral Medicine (exam duty on 29.03.2022)
 - (ix) Dr. Anupama S. Patankar, Reader, Prosthodontics (casual leave on 29.03.2022)
 - (x) Dr. Prashant Jadhav, Reader, Prosthodontics (exam duty on 29.03.2022)
 - (xi) Dr. Bhushan Gaikwad, Reader, Prosthodontics (medical leave on 29.03.2022)
 - (xii) Dr. Sayali R. Korde, Lecturer, Prosthodontics (maternity leave on 29.03.2022 & 30.03.2022)
 - (xiii) Dr. Madhavi Mhapuskar, M. Clin. Dent., Tutor/Dental Surgeon, Prosthodontics (29.03.2022 & 30.03.2022)
 - (xiv) Dr. Rasika Kashikar, Lecturer, Conservative Dentistry (medical leave on 29.03.2022 & 30.03.2022)
 - (xv) Dr. Shwetambari Navale, Lecturer, Periodontology (29.03.2022)
 - (xvi) Dr. Sucheta Vanjari, Lecturer, Periodontology (29.03.2022 & 30.03.2022)
 - (xvii) Dr. Riddhi Joshi, Lecturer, Pedodontics (conference leave on 29.03.2022 & 30.03.2022)
 - (xviii) Dr. Rajeev Talmohite, Lecturer, Oral Medicine & Radiology (posted in satellite centre at Ionavala on 29.03.2022 & 30.03.2022)
 - (xix) Dr. Lishoy Rodrigues, Lecturer, Orthodontics (conference leave on 29.03.2022 & 30.03.2022)
 - (xx) Dr. Vibhavari Kuwar, Lecturer, Public Health Dentistry (maternity leave on 29.03.2022 & 30.03.2022)
 - (xxi) Dr. Vidya Jadkar, Tutor/Dental Surgeon, Public Health Dentistry (29.03.2022)
 - (xxii) Dr. Kapil Sonawane, Tutor/Dental Surgeon, Conservative Dentistry (medical leave on 29.03.2022 & 30.03.2022)
 - (xxiii) Dr. Madhavi Mhapuskar, Tutor/Dental Surgeon, Prosthodontics (29.03.2022 & 30.03.2022)
4. The following **Medical Teaching Staffs** were on leave on the day of Inspection:
- (i) Dr. Ashok Shinde, Professor & HOD, Biochemistry (duty leave on 29.03.2022 & 30.03.2022)
 - (ii) Dr. Jitendra Rajendra Ingole, Professor, General Medicine (medical leave on 29.03.2022 & 30.03.2022)
 - (iii) Dr. Nitin Suryawanshi, Associate Professor, General Medicine (medical leave on 29.03.2022 & 30.03.2022)
5. The following **PG Students** were absent on the day of Inspection:
- (i) Dr. Bhawe Madhura Nitin, Oral Pathology & Microbiology (29.03.2022 & 30.03.2022)

- (ii) Dr. Pardeshi Dipti Govid, Oral Pathology and Microbiology (29.03.2022)
- (iii) Dr. Tirmare Shweta Sunil, Oral Medicine and Radiology (29.03.2022 & 30.03.2022)
- (iv) Dr. Pudke Snehal Ganesh, Periodontology (29.03.2022 & 30.03.2022)
- (v) Dr. Hake Aboli Vijayrao, Periodontology (29.03.2022)
- (vi) Dr. Dumne Sudhir Laxmanrao, Pediatric and Preventive Dentistry (29.03.2022)
- (vii) Dr. Katarnavare Neha Santosh, Conservative Dentistry (PG convention 29.03.2022 & 30.03.2022)
- (viii) Dr. Kale Akash Suresh, Conservative Dentistry (PG convention 29.03.2022 & 30.03.2022)
- (ix) Dr. Bhadane Ashish Sunil, Conservative Dentistry (PG convention 29.03.2022 & 30.03.2022)

6. **Observations:**

- 1. UG & PG lab of Pedodontics & Preventive Dentistry is common.
- 2. Dry & Wet autoclave not available in Dental Van in Community Dentistry.
- 3. The maintenance of Dental Van is poor.
- 4. Log book of PGs of Orthodontics not available on the day of Inspection.
- 5. Record Room in Orthodontics not well organized.
- 6. Hand Piece Sterilizer not functional in the department of Conservative Dentistry.
- 7. One Dewaxing Unit was not functional.
There is a deficiency of **Pulp Testers-3** in the department of Oral Medicine and Radiology.

Deficiencies as per MDS Inspection Report:

Prosthodontics and Crown & Bridge with 3 seats

- 1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
- 2. **Journals:**
 - Latest International Journals are available upto 2016.
 - Back volume in print form (8-10 years) of any 3 journals of concerned speciality is available upto 2016.

Oral & Maxillofacial Pathology and Oral Microbiology with 3 seats

- 1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
- 2. **Clinical Work Load: Speciality:** Patients were less on both days of Inspection i.e. 1st day: 2+6+8 and 2nd day: 1+3+4 against the requirement of 2+6+10.
- 3. **Journals:**

- Back volume in print form (8-10 years) of any 3 journals of concerned speciality is available upto 2016.

Pediatrics & Preventive Dentistry with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Table of contents:** Details not furnished.
3. **Journals:**
 - Latest National and International Journals available year upto: details not furnished.

Oral Medicine & Radiology with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Journals:**
 - Latest National and International Journals available year upto: details not furnished.

Conservative Dentistry and Endodontics with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Journals:**
 - Latest National and International Journals are available year upto: details not furnished.
 - Back volume in print form (8-10 years) of any 3 journals of concerned speciality is available upto 2016.

Periodontology with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Journals:** Latest National and International Journals are available year upto 2016.

Public Health Dentistry with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Journals:**
 - Latest International Journals are available year upto: details not furnished.

Orthodontics & Dentofacial Orthopedics with 3 seats

1. **University Affiliation:** The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.
2. **Journals:**
 - Latest International Journals are available year upto: details not furnished.
 - Back volume in print form (8-10 years) of any 3 journals of concerned speciality is available upto 2016.

Oral & Maxillofacial Surgery with 3 seats

University Affiliation: The University Affiliation is valid for the year 2021-22 and has not provided the current university affiliation for the year 2022-23.

5(13). **Dasmesh Institute of Research & Dental Sciences, Faridkot, Punjab**

To consider Joint Inspection Report of the Council's Inspectors Dr. Girish Giraddi, Bangalore, Dr. S.K. Mishra, Aligarh and Dr. Shantanu Choudhari, Ahmadabad (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Dasmesh Institute of Research & Dental Sciences, Faridkot, Punjab (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS Inspection Report:

- 1 The following Dental / Medical Teaching Staffs were absent on the day of inspection:-
 - (i) Dr. Kuljit Kaur, Lecturer, Conservative Dentistry and Endodontics (30.03.2022 & 31.03.2022)
 - (ii) Dr. Rahul Mittal, Lecturer, Orthodontics and Dentofacial Orthopedics (30.03.2022 & 31.03.2022)
 - (iii) Dr. Asheen Gupta, Lecturer, Oral and Maxillofacial Surgery (30.03.2022 & 31.03.2022)
 - (iv) Dr. Brijender Singh, Lecturer, General Pathology (30.03.2022 & 31.03.2022)
 - (v) Dr. Vijaydeep Kaur, Lecturer, Microbiology (30.03.2022 & 31.03.2022)
 - (vi) Dr. Sanjiv Kumar Bhatia, Lecturer, Microbiology (30.03.2022 & 31.03.2022)
 - (vii) Dr. Sukanya Hamirwasia, Lecturer, Pharmacology (30.03.2022 & 31.03.2022)
 - (viii) Dr. Upinder Singh, Lecturer, Human Anatomy (30.03.2022 & 31.03.2022)
 - (ix) Dr. Diamond Sharma, Lecturer, Human Anatomy (30.03.2022)

(x) Dr. Renuka Sood, Professor & Head, Biochemistry (30.03.2022 & 31.03.2022)

2 **Major Equipments:-** There are deficiencies of equipments in the following departments:

Prosthodontics and Crown & Bridge:- Semi Adjustable Articulator – 1, (Lab):- Dewaxing Unit – 3, (Ceramic and Cast Partial Laboratory):- Preheating Furnace – 1.

Periodontology:- Physio Dispenser with implant kit - Sharing with Oral and Maxillofacial Surgery.

Orthodontics:- Unit Mount Scaler – 2, Ultrasonic Cleaner – 1.

4 **Deficiencies as per MDS Inspection Report:-**

Oral Medicine and Radiology with 3 seats

Medical College :-

- (i) Occupancy on the day of Inspection has not mentioned.
- (ii) Availability of Area Requirement as per BIS/NABH has not mentioned.

5 **Oral and Maxillofacial Surgery with 2 seats**

- There is a one deficiency of Reader.
- **Clinical Material:-** There were only 2 patients on 30.03.2022 and 3 patients on 31.03.2022 against the requirement of 60.

6 **Prosthodontics with 3 seats**

Equipments:- Electrical Dental Chair and Unit, Physio Dispenser, Implant Kit, Implants, Prosthetic components, Unit Mount light Cure, X-Ray Viewer, Needle Destroyer, Ultrasonic Cleaner Capacity 3.5 lts, Autoclave programmable for all recommended cycles, X-ray machine with RVG, Refrigerator, Surgical Kit/Prosthetic Kit, Educating Models, Implant removing Instruments - Shared with Oral and Maxillofacial Surgery.

7 **Conservative Dentistry and Endodontics with 2 seats**

Equipments:- Dental Chair and Units – 8 chair PG and 34 U.G

Clinical Material:- There were only 67 patients on 31.03.2022 against the requirement of 70.

8 **Periodontology with 3 seats**

Equipments:- Dental Chairs and Units – Not Mentioned, Autoclave – Not Mentioned, Steel Bin – Not Mentioned, Airoter Hand Pieces - Not Mentioned, UV Chamber – Not Mentioned, Formalin Chamber – Not

Mentioned, W.H.O Probe – Not Mentioned, Nabers Probe – Not Mentioned, Williams Probe – Not Mentioned, UNC-15 Probe – Not Mentioned, Gold Man Fox Probe – Not Mentioned, Pressure Sensitive Probe – Not Mentioned, Marquis color coded people - Not Mentioned, Supra Gingival Scalers – Not Mentioned, Sub Gingival Scaler – Not Mentioned, Arkansas Sharpening Stone – Not Mentioned, (Implants Equipments, Electrical Dental Chair and Unit, Physio Dispenser, Implant Kit, Implants, Implant Maintenance Kit , Implant Guide, X-ray viewer, Needle Destroyer, Ultrasonic cleaner Capacity, Autoclave Programmable for all recommended cycles, RVG With X-ray Machine, Refrigerator, Surgical Kit, Sinus lift Kit, Educating Models, Implant removing kit) - Shared with Oral and Maxillofacial Surgery.

5(14). **Manubhai Patel Dental College & Dental Hospital, Vadodara, Gujarat**

To consider Joint Inspection Report of the Council's Inspectors Dr. Mandeep Singh Viridi, Jhajar, Dr. Jitendra Bhagchandani, Lucknow and Dr. V. Chandrasekhar, Hyderabad (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Manubhai Patel Dental College & Dental Hospital, Vadodara, Gujarat (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS inspection report:

1. There are deficiencies of Major Equipments in the following departments:-
 - **Prosthodontics and Crown & Bridge:** Phantom Head -15.
 - **Orthodontics and Dentofacial Orthopedics:-** Dental chairs and units – 1.
 - **Paediatric and Preventive Dentistry:** Steam cleaner – 1.
 - **Oral Medicine and Radiology -** Radiovisiography with Intra Oral Camera – 1 (non functional).
2. **Land & Infrastructure Details:**
 - There is no sewage treatment plant is available.**Observations:**
 - Medical faculty affidavits not attached as they were not made available.

5(15). **Sri Sukhmani Dental College & Hospital, Derabassi, Punjab**

To consider Joint Inspection Report of the Council's Inspectors Dr. Shitij Srivastava, Lucknow and Dr. Gaurav Beohar, Bhopal (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course, at Sri Sukhmani Dental College & Hospital, Derabassi, Punjab (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

- 1 The following **Dental Teaching Staffs** were absent on the day of inspection:-
 - (i) Dr. Gurneet Kaur, Tutor, Oral Surgery (30.03.2022)
 - (ii) Dr. Pushkar Gupta, Tutor, Oral Pathology (30.03.2022)
 - (iii) Dr. Seerat Kaura, Tutor, Oral Medicine & Radiology (30.03.2022)
 - (iv) Dr. Manpreet Kaur, Tutor, Dept. of Periodontics (30.03.2022)
- 2 The following **Medical Teaching Staff** were absent on the day of inspection:-
 - (i) Dr. Balveer Singh, Lecturer, Pharmacology (30.03.2022 & 31.03.2022)
 - (ii) Dr. Swari Arora, Lecturer, Pharmacology (30.03.2022)
 - (iii) Dr. Hemant, Lecturer, Physiology (30.03.2022)
 - (iv) Dr. Komal Yadav, Lecturer, Dept. of Microbiology (30.03.2022)
 - (v) Dr. Preeti Bansal, Professor, General Pathology (30.03.2022)
- 3 **University Affiliation:** - The University affiliation is valid for the year 2021-22 and has not provided the current University affiliation for the year 2022-23.
- 4 **Land & Infrastructure Details:** No Anatomical Act has been obtained from competent authority (DME).
- 5 **There are deficiencies of Equipments in the following departments:**
 - (i) **Oral & Maxillofacial Surgery: Exodontia:** Autoclaves – 1 (not working), Needle Burner with syringe cutter – 3,
 - (ii) **Periodontology:** No airpolisher attached but found present,
 - (iii) **Orthodontics:** Unit mount scaler – 1 (4 scaler present but not attached to Dental chair),
 - (iv) **Pediatric and Preventive Dentistry: Dental Chairs and Units:** Microhead hand piece not available,
 - (v) **Public Health Dentistry:** Mobile dental van – 1.
- 6 **Central Library:**
 - Photocopying area – Machine not working.
 - New Journals from 2020 not available.
- 7 **Medical College attachment** – Details not furnished.

5(16). **Shaheed Kartar Singh Sarabha Dental College & Hospital, Ludhiana, Punjab**

To consider Joint Inspection Report of the Council's Inspectors Dr. Mohammed Sagir, Kerala and Dr. Abhijit Chakraborty, Kaolkata (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course, at Shaheed Kartar

Singh Sarabha Dental College & Hospital, Ludhiana, Punjab (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. University Affiliation for the current academic year not provided.
2. There is deficiency of 18 lecturers.
3. Annexure of Land and Infrastructure is not in Hindi/English language except one or two pages.

Observations:

1. Library facilities has to be improved.
2. Students have given online access to various books.
3. Internet facilities need to be improved.
4. More numbers of computers atleast (05 computers) with internet facilities need to be provided to the students.

5(17). **Christian Dental College, Ludhiana, Punjab**

To consider Joint Inspection Report of the Council's Inspectors Dr. Nikhil Verma, Udaipur, Dr. Anshula Deshpande, Vadodara and Dr. G.M. Sogi, Mullana (carried out on 30th & 31st March, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Christian Dental College, Ludhiana, Punjab (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report.

1. **Non teaching staff / Ministerial Staff:**
Dent. Hygst – 1
2. **Dental Chairs/ Units:-**
 1. All the chairs and units are not functioning and electrically operated.
 2. 32 chairs are not according to norms prescribed.
3. **There are following Dental teaching staffs absent on day of inspection:**
 1. Dr. Deepti Sharma, Associate Professor, Oral Pathology
 2. Dr. Nitasha Gandhi, professor, Prosthodontics
 3. Dr. Sumir Gandhi, Professor, Oral Surgery
 4. Dr Jewel Elizabeth Renji, Assistant Professor, Orthodontics
4. **Major Equipments:-**
Prosthodontics and Crown & Bridge: Phantom Heads: 25 (Separate Prostho Phantom head is not available).
Ceramic and Cast Partial Laboratory: 3.5 liters Ultrasonic cleaner is available against the requirement of 5 liters.
Pre Clinical Laboratory: Gas cylinder and oxygen cylinder

with burner – 1.

Clinical Laboratory: Dental Chairs and Units – 2 chairs are manual.

Oral & Maxillofacial Surgery:

Dental Chairs and Units – 9 chairs not as per specification ,
Ultrasonic Cleaner - 1,

Periodontology:

Dental Chairs and Units – 4 chairs are manual

Orthodontics and Dentofacial Orthopedics:

Dental Chairs and Units – 3 chairs are manual

Pediatric and Preventive Dentistry:

Pulp tester digital – 1, Apex locator – 1, Injectable Gutta
Percha with condensation – 1, Radiovisiography – 1, Lab
micro motor - 2, Dental Lathe -1, Steam cleaner - 1

Oral Medicine and Radiology:

Dental Chairs and Units - 4 chairs are manual, Automatic
Panoramic with Cephalometric X- ray Developer – 1,
Sialography equipments & kit - 1

Public Health Dentistry:

Dental Chairs and Units – 6 available out of 8 and available 6
chairs are manual, ultrasonic cleaner – 1.

Mobile Clinic:

Portable dental chair – 2 , Demonstration models – 20

4. **Infrastructure & Functional Requirements:**

1. Examination hall - Examination hall is shared with medical college.
2. Clinical Area – distance between chairs is not according to norms.
3. Wards- male and female to accommodate 20 beds, central store, and departmental store, major and minor O.T. etc. – attached with ENT & General Surgery- not designated for dental college.
4. Pre –clinical Prosthodontics and dental material lab – phantom head lab not present.
5. **Clinical:**
Prosthodontics Cast Partial and ceramic – inadequate space

5 **Land & Infrastructure Details:**

1. Bio-waste incinerator is not available
2. Fire and safety certificate obtained from the competent authority is not available.

Observations:-

1. UG clinic in Oral Surgery is non functional.
2. Prof & HOD, Prosthodontics on Long leave
3. Clinical area in all specialist has not available as per norms (area wise)
4. Dr. Yogoen Vohra, Senior Lecturer in Oral Surgery appeared for DCI inspection in Nov 21, in previous college
5. Fire Safety- most of the equipment are beyond expiry

date.

6. Institutional Ethics Committee is temporarily registered and there is no dental surgeon in the committee.
7. No separate Oral Surgery ward for male and female patients in dental college premises as well as medical college.
8. Tobacco Cessation Centre consists of only register for records and not as per 2018 Regulations.

Deficiencies as per MDS Report:-

Oral and Maxillofacial Surgery with 3 seats:

1. Dr. Sumir Gandhi, Professor & HOD, was absent on both days of inspection
2. There is a deficiency of one Reader in the department.
3. **Clinical Material** – there are 39 patients on day 2 of the inspection against the requirement of 40
4. **Speciality Department Infrastructure details:**
Recovery Room, Male wards and Female wards not in Dental College.
5. **Equipments:** Peizo Surgical unit – 1, Computer with internet connection with attached printer and scanner - 1

Observations:

1. Dr. Yogoen Vohra, Senior Lectuer in Oral Surgery appeared for DCI inspection in Nov 21, in previous college
2. No separate Oral Surgery ward available for male and female patients in dental college premises as well as medical college
3. Separate allocation of ward for dental college is not there in CMC, it is merged with ENT & Surgery.

Pedodontics and Preventive Dentistry:

Equipments: Endodontics Pressure Syringe – 1, Amalgamator -1, Dental lathe -1, vibrator -1

Observations:-

Only two specialist journals are available in print.

Prosthodontics and Crown & Bridge:

1. There is a deficiency of one Reader in the department
2. Dr. Nitasha Gandhi, Professor, was absent on both the day of inspection.
3. Clinical material:- there are only 25 patients on the 2nd day of inspection against the requirement of 30.
4. **Specialty Department Infrastructure details:**

Laboratory space – not adequate, Preclinical / Phantom Head Lab not available

5. **Equipments:-** Casting machine, motor cast with safety door closure, gas blow torch with regulator – 1, Induction casting machine with vacuum pump, capable of casting titanium chrome cobalt precision metal -1

Observations:

1. Distance between dental chairs is very less.
2. One chair is less in PG section.

5(18). **Government Dental College, Trivandrum, Kerala**

To consider Joint Inspection Report of the Council's Inspectors Dr. Rajesh Podar, Navi Mumbai, Dr. Biju Pappachan, Raipur and Dr. Sharmistha Vijay, Jaipur (carried out on 6th & 7th April, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Government Dental College, Trivandrum, Kerala (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report.

1. **University Affiliation** for the current academic year- not provided.
2. There are deficiencies of Major equipment in the following departments:-
 - **Conservative Dentistry and Endodontics (Clinical Laboratory)**
Plaster Dispenser – 2
 - **Orthodontics:** Ultrasonic Cleaner – 1
 - **Pediatric Dentistry and Endodontics:** Intra oral x-ray – shared with conservative dentistry and Endodontics department.
 - **Public Health Dentistry:-** Dental Chairs and Units -1
Mobile Clinic:- Dental Chairs and Units -1, Water Tank -1, oxygen cylinder -1, TV and video cassette player – 1, Demonstrator models -15

Observations:

1. Department of Oral Surgery is under renovation.
2. Library – Back volumes journals of most of the department is unavailable, infrastructure of library inadequate.

Deficiencies as per MDS Inspection Report.

Prosthodontics and Crown & Bridge

There are deficiencies of three Readers in the department

Observations:-

Library – No back volume of national and international journals are available.

Only online journals are available.

Oral Maxillofacial Pathology and Oral Microbiology

Observations:-

Equipments: Dental Chairs and units – 2, Paraffin wax bath and Leuchart pieces - Only automatic tissue embedding unit available.

Conservative Dentistry and Endodontics

There are deficiencies of 02 readers and 01 lecturer in the department.

Equipments:- Autoclave for hand piece sterilization -1, Apex locators one for every two chairs – 2, Face bow with semi adjustable articulators - 2

Library:- No back issues of any journals
No print issues of any National / International journals.

Oral and Maxillofacial Surgery

1. There is a deficiency of 01 Reader in the department.
2. Specialty Department Infrastructure details - Construction and Renovation going on in the department
3. Books in Central library and Departmental library not available.
4. Equipments: Peizo surgical unit -1 (available but shared with Periodontology), Ventilator - 1 (available but shared with MCH), Recovery and intensive care unit with all necessary life support equipments – 2 beds (shared with MCH).

Observation:

1. Library - separate faculty and students post graduate section not available.
2. Journals back volumes unavailable.
3. PG Students have not maintained journals club records.

Periodontology

1. There are deficiencies of 02 Readers in the department
2. Clinical Material – there were 62 patients on day 01 and 57 patients on day 02 against the requirement of 70.
3. Equipments: Pressure sensitive probe -1, RVG with x-ray machine – 1, Implant removing kit -1

Observations:

Last 10 years back volume of national and international journals deficient.

Orthodontics and Dentofacial Orthopedics

1. There is a deficiency of 01 Reader in the department.
2. Equipments: Dental chairs and Units – 1, High intensity light curing unit – 1, SLR digital camera – 1, X-ray viewer - 1, Dry Heat Sterilizer – 1, Ultrasonic cleaner capacity 3.5 liters - 1

Pediatric and Preventive Dentistry

1. There is a deficiency of 01 Reader in the department.
2. Equipments: RVG with intra oral x-ray – 1 (awaiting installation), Automatic developer – 1, Endodontics pressure syringe – 1, Formalin chamber – 1.

Observations:-

1. No back volumes of any Pedo Journals.
2. Print Journals: No national and international journals subscription found

Oral Medicine & Radiology

Clinical Material: There are 31 patients on day 01 and 22 patients on day 02 against the requirement of 100

Observations:

Library:

1. Library of Dental College has no separate seating for UG/ PG Faculties.
2. Back Issue is not available of any international journals.

5(19). **Mar Baselios Dental College, Kothamangalam, Kerala**

To consider Joint Inspection Report of the Council's Inspectors Dr. Balram Naik, Dharwad, Dr. S.K. Mishra, Aligarh and Dr. Himadri Chakrabarty, Kolkata (carried out on 6th & 7th April, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Mar Baselios Dental College, Kothamangalam, Kerala (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiencies as per BDS Inspection Report:

1. University Affiliation for the current academic year not present.

Observations:

All departments are sharing autoclave centralized autoclaving unit.

Deficiency as per MDS Inspection Report:

Oral Medicine and Radiology with 3 seats

Staff:- There is a deficiency of one Sr. Lecturer in the department.

Clinical Material:- There were 25 patients on day 1 against the requirement of 150 and 2nd Day OPD not mentioned

Conservative Dentistry & Endodontics with 3 seats

Staff:- There is a deficiency of one Lecturer in the department.

Clinical Material:- There is a deficiency of Clinical Material in the department of Conservative Dentistry & Endodontics since there were 45 patients on the 1st day and 41 patients on the 2nd day of Inspection against the requirement of 70.

Equipments:- Dental Chairs and Units- not mentioned.

Prosthodontics and Crown & Bridge with 2 seats

Staff:- There is a deficiency of one Lecturer in the department.

Clinical Material:- There is a deficiency of Clinical Material in the department of Prosthodontics and Crown & Bridge since there were 14 patients on the 1st day and 22 patients on the 2nd day of Inspection against the requirement of 40.

Orthodontics & Dentofacial Orthopedics with 3 seats

Clinical Material:- There is a deficiency of Clinical Material in the department of Orthodontics & Dentofacial Orthopedics since there were 23 patients on the 1st day of Inspection against the requirement of 30.

Periodontology with 3 seats

Staff:- There is a deficiency of One Reader and One Lecturer in the department.

Clinical Material:- There is a deficiency of Clinical Material in the department of Periodontology since there were 16 patients on the 1st day and 15 patients on the 2nd day of Inspection against the requirement of 60.

Equipments:- There are deficiencies of equipment viz. Implant, Implant maintenance kit (plastic instruments), Implant guide, X-ray viewer, Needle destroyer, Ultrasonic cleaer capacity 3.5 lts, Autoclave programmable for all recommended cycles, RVG with x-ray machine, Refrigerator, Surgical Kit, Sinus lift kit, Educating models, Implant removing kit – Available but Sharing with Prosthodontics.

Pedodontics and Preventive Dentistry with 3 seats

Staff:- There is a deficiency of One Lecturer in the department.

Clinical Material:- There is a deficiency of Clinical Material in the department of Pedodontics and Preventive Dentistry since there were 19 patients on the 1st day and 21 patients on the 2nd day of Inspection against the requirement of 40.

Oral and Maxillofacial Surgery with 2 seats

Dental Staff:- There are deficiencies of 2 Reader and 1 Lecturer.

Equipments:- Ventilator, Major Operation theatre with all facilities, Recovery and Intensive Care Unit with all necessary life support equipments, Fiberoptic Light, Inpatient Beds, Fiber Optic Laryngoscope – Present in General Hospital

Table of Contents – Details are not furnished.

5(20). **Noorul Islam College of Dental Sciences, Trivandrum, Kerala**

To consider Joint Inspection Report of the Council's Inspectors Dr. Ashu Gupta, Shimla, Dr. Manoj Kumar Singh, Kolkata and Dr. Manesh Lahori, Mathura (carried out on 6th & 7th April, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS & MDS Courses, at Noorul Islam College of Dental Sciences, Trivandrum, Kerala (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

Deficiency as per BDS Inspection Report

1. **University Affiliation:-** The University affiliation is valid for the year 2021-22 and has not provided the current University affiliation for the year 2022-23.
2. There is a deficiency of 5 Lecturers/Tutors.
3. **The following Dental Teaching Staff was absent on the day of Inspection:-**
 - (i) Dr. Anoop Samuel, Professor, Conservative Dentistry and Endodontics (06.04.2022 and 07.04.2022)
 - (ii) Dr. Indu V.K, Tutor, Pediatric and Preventive Dentistry (06.04.2022 and 07.04.2022)
4. **The following Medical Teaching Staff was absent on the day of Inspection:-**
 - (i) Dr. Awasthy Senan CR, Lecturer, Pharmacology (06.04.2022)

(ii) Dr. Haris A, Lecturer, Anesthesiology, (was in OT on 07.04.2022)

5. **Non Teaching Staff/Ministerial Staff:-** Dental Tech. (Dental Mechanic) - 1, Dent. Hygst. – 2, Security Personnel – 1.

6. **There are deficiencies of Equipments in the following departments:**

Prosthodontics and Crown & Bridge:- (Lab):- Flask Press – 2, Deflasking Unit – 2, **Ceramic and Cast Partial Laboratory:-** Programmable porcelain furnace with vacuum pump with instrument kit and material kit – 1, Ultrasonic Cleaner 5 litres capacity – 3.5 ltr available.

Conservative Dentistry and Endodontics:- Autoclaves – 1 not working, Glass bead Sterilizers – 3, Automatic Developer - 1, **Clinical Laboratory:-** Plaster Dispenser, Model Trimmer, Lathe, Lab Micromotor, Ultrasonic Cleaner, Spindle Grinder, Vibrator, Burnout furnace, Porcelain Furnace, Sand Blasting Machine, Lab Airrotor, Pindex System, Circular Saw, Vacuum Mixer, Pneumatic Chisel, Casting Machine – All equipments are shared with Prosthodontics dept.

Oral and Maxillofacial Surgery A) Exodontia:- Ultrasonic Cleaner capacity 13 lts – 2.5 available, Thermometer – 1, Glucometer – 1, Oxygen Mask Paedodontics & Preventive Dentistry – 1.

Periodontology:- Dental Chairs and Units – 3 Scaler Short, Ultrasonic Cleaner capacity 13 lts – 2.5 available.

Orthodontics:- X-Ray Viewer – 1, Ultrasonic Cleaner capacity 13 lts – 2.5 lts available, **LAB:-** Plaster Dispenser – 1, Welders – 1 Not working, Soldering Torch – 1 Not working, Amalgamator - 1 not working, Pulp Tester Digital – 1 Not working.

Pedo Lab:- Plaster Dispenser – 1, Lab Micro motor – 1, Pressure Moulding Machine – 1.

Oral Medicine & Radiology:- Pulp Tester – 2 not working, General X-ray Unit – Attached with Hospital, Lead Gloves – 1, Biopsy Kit – 1, Sailography Equipment and Kit – 1.

Public Health Dentistry:- Ultrasonic Cleaner-2.5 is available against the requirement of 13 lts.

Department of Physiology:- Stage Incubator – 1, Analytical Balance – 1, Centrifuge R4c and R8c – 1, Blood Cell Counter – 1, **Clinical Lab:-** Clinical Thermometer – 3, Hair Aesthesiometer – 2, Bicycle Ergometer – 1, Weighing Machine – 2, Height Chart – 1,

Snellen's Chart – 1, **Preparation Room:-** Electrophoretic Apparatus – 2.

Pharmacology (Clinical Lab):- Funnel – Less in Number, Pasteur pipette pack of 100 – 2, Pipette 1 ml – 25, Pipette 2 ml - 18, Reagent bottle with lid narrow mouth – 30, Reagent bottle with lid wide mouth – 15, Test Tube - 15, Sphygmomanometer – 1, Spirit Lamp – 4.

Department of Microbiology:- Electronic Balance – 1.

Department of General Pathology(Clinical Lab) (A Glass Ware):- Glass Pipette – 15, Glass Rods – 10, **(B Instruments):-** Electronic Weigh Scale – 3, Sprit Lamp – 3, Sphygmomanometer – 1, Stethoscope – 1.

Department of Dental Anatomy, Embryology, Oral Histology and Oral Pathology:- Education models and dental developmental set - Less in number, **Histopathology Room:-** Distilled water plant – 1, Wide Mouth Bottles – 3, Glass Funnel – 3, Loop Holder – 2, Magnifying Glass – 1, Gas Burner/Sprit Lamp - , Colour Printer - 1.

7. **Observation:-** Carbon Monoxide analyser was not available in TCC.

8. **Deficiencies as per MDS Inspection Report:**

Orthodontics & Dentofacial Orthopedics with 3 seats

1. **Equipment :-** Dental Chairs and Units – Some of the chairs are not working properly, Scanner with transparency adapter – 1, Needle Destroyer – 1, Free Plane Articulators – 1, Computer software for cephalometric – Software not working.
2. **Clinical Material:-** There was only 21 patients on 06.03.2022 against the requirement of 25.
3. **Last annual admission details:** No. admitted and Academic Year for SC, ST, Others/EWS is not mentioned and signature of the students not done.
4. **Observations:-** Dr. Pragya, Lecturer, was maternity leave on 06.03.2022 and 07.03.2022.

Conservative Dentistry and Endodontics with 2 seats

1. **Equipments:-** Endosonic Handpieces – Micro endosonic Tips, retro treatment – 1, Surgical Endo Kits – 2, Needle Destroyer –

1, Amalgam finishing kits – 1, Equipments for casting procedures – Shared with Prosthodontics Department.

2. **Clinical Material:-** There was only 41 patients on 06.03.2022 and 41 patients on 07.03.2022 against the requirement of 50.

3. **Last annual admission details:** No. admitted and Academic Year for SC, ST, Others/EWS is not mentioned and signature of the students not done.

9. **Observations:-**

(i) Ceramic Lab is shared with Prosthodontics Department.

5(21). **KGF College of Dental Sciences & Hospital, KGF, Karnataka**

To consider Joint Inspection Report of the Council's Inspectors Dr. Mandeep Singh Viridi, Jhajjar and Dr. Mukesh Kumar Singh, Moradabad (carried out on 7th & 8th April, 2022) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course, at KGF College of Dental Sciences & Hospital, KGF, Karnataka (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1 **Deficiencies as per BDS Inspection Report**

1. The following **Dental Teaching Staffs** were absent on the day of inspection:-

- (i) Dr. Pawan T.P, Sr. Lecturer, Prosthodontics and Crown & Bridge was absent on 07.04.2022.
- (ii) Dr. Veena S. Nair, Sr. Lecturer, Conservative Dentistry and Endodontics, was absent on 07.04.2022.
- (iii) Dr. Mallika Reddy, Professor, Oral and Maxillofacial Surgery was absent on 07.04.2022.
- (iv) Dr. Mithun Shah, Sr. Lecturer, Orthodontics was absent on 07.04.2022.
- (v) Dr. Bijilas, Tutor, Orthodontics was absent on 07.04.2022.
- (vi) Dr. Sushma S.A., Sr. Lecturer, Orthodontics was absent on 07.04.2022.
- (vii) Dr. M ohammed Ajmal, Sr. Lecturer, Prosthodontics and Crown & Bridge was absent on 07.04.2022

2 The following **Medical Teaching Staffs** were absent on the day of inspection:-

- (i) Dr. Geetanjali N., Tutor, General Pathology was absent on 07.04.2022.

(ii) Dr. Arjun M.B., Assistant Professor, General Medicine was absent on 07.04.2022.

- 3 **Equipments** (Periodontics) :- Needle Burner with syringe cutter – Not mentioned, Laser Soft Tissue – Not Mentioned

Observations:-

Air Polister not available in Dept. of Periodontics

Note : Subject to the confirmation of the said Minutes in the next Executive Committee meeting